


A NAME IN...

LUBRICATING EQUIPMENTS





















BGP-510 WL

BGP-515

+ Easily Portable Mounted on Wheels

- ◆ Quick and Easily Open-able Cover
- ◆ Adjustable Carry Handle
- ◆ Lever Operated Pump Mounted on Cover of Drum
- → 3/8" x 2.2 Meter Wire Braided Oil Resistence
 High Pressure Hose
- ◆ Removable Handle
- Spring Loaded Disc is Placed Inside the Drum to
 Make Positive Pressure or Easy Pumping of Grease
- ◆ Delivery Rate 4.50 gram / Stock Approx
- ♦ Working Pressure up to 4000 PSI

CAT NO.	CAPACITY	DESCRIPTION
BGP - 505	5 Kg	With Wheel
BGP - 505 WL	5 Kg	Without Wheel
BGP - 510	10 Kg	With Wheel
BGP - 510 WL	10 Kg	Without Wheel
BGP - 515	15 Kg	With Wheel
BGP - 520	20 Kg	With Wheel

Product Brief

- ◆ Introducing our brand new

 series pump.

 With features unmatched by any other grease pump in Industry.
- ◆ The
 ◆ The
 ◆ is a Volume greasing applications. Requiring everyday Lubrication such as greasing of excavators & other earth moving equipments, agricultural equipments, automotive applications etc.

Lever Grease Gun Light Duty 8 Oz

Model J-702



Features

- ➤ Capacity 8 Oz/200cc
- > Develops upto 3000 PSI
- > Die Cast Attractive Head
- > Durable Powder Coated Finish



Lever Grease Gun Light Duty 10 Oz

Model J-703

Features

- ➤ Capacity 10 Oz/285cc
- ➤ Develops upto 5000 PSI
- > Die Cast Attractive Head
- > Durable Powder Coated Finish
- ➤ Knurled Barrel for Non-Slip Grip



Lever Grease Gun Economy 15 Oz

Model J-704

Features

- ➤ Capacity 15 Oz / 500cc
- > Develops up to 4000 PSI
- ➤ Die Cast Attractive Head
- > Durable Powder Coated Finish
- ➤ Knurled Barrel for Non-Slip Grip



Lever Grease Gun Heavy Duty 15 Oz

Model J-705

Features

- ➤ Capacity 15 Oz/500cc
- ➤ Develops upto 5000 PSI
- Grease Gun Designed for use in General Lubrication and Daily Maintenance Work
- > 5/8" Wide Piston for Extra Volume of Grease
- > Die Cast Attractive Head
- > Durable Powder Coated Finish
- ➤ Knurled Barrel for Non-Slip Grip



Lever Grease Gun Steel Head

Model J-707

Features

- All Steel Fabricated Head, Durable Powder Coated Finish
- > Knurled Non-Slip Grip
- > 15 Oz Cartridge or 16 Oz Bulk Loading
- > Secure Lock for Easy Loading and Bleeding
- > Short Handle with Grip
- > Develops upto 6000 PSI
- ➤ Available with Plastic 'T' Pulling Rod also

Suction Gun

Model J-801

Features

- Suction Gun Designed for Use with Oils to Get Them Both in & Out by Transfer Cases
- That is Easy and Comfortable Working with Each Stroke Fluid is Drawn in & it Can be Used in Home Industry, Farm & Automotive
- ➤ Need No Priming
- ➤ With 12" Flexible Vinyl Hose

Push Mechanism Grease Gun Metal

Model J-721

Features

- ➤ Durable Powder Coated Finish
- Bulk Loading Capacity 4 Oz / 120 gm & 8 Oz / 250 gm
- ➤ Capacity of 2500 PSI
- > Available with Different Nozzles

Plastic Body Push Type Grease Gun

Model J-722, J-723

Features

- > High Quality Plastic Body
- > Material Can with Stand Temperature Variation
- ➤ Capacity 60cc / 2 oz.
- > Comes with Both Universal & Pointed Tip
- > Use with Bulk Grease Only
- Bulk Loading Capacity 4 Oz / 120 gm & 8 Oz / 250 gm



LUBRICATING



Warning: 1. Use with oil based, fluids, heating oils, motor oils, heavy & low viscosity oils.

2. Avoid for use with water based fluids, acids, solvents & antifreeze.









Features

- > WS Series Oil Can
- ➤ With Rim Have Traditional Design
- ➤ The Rim Prevents Oil from Dripping Down
- ➤ Heavy Gauge Steel Body
- ➤ All Painted Oiler Z/Chrome Plated Thumb Lever
- > Detachable Rigid % Flex Sports
- > Body is Seamless Drawn
- All Models are Available in Steel & Brass Pump as per Order
- Colour as per Order
- > Pump Has Two Ball Valve for Large Volume Delivery per Stroke

CAN NO.	CAPACITY	RIGID SPOUT	FLEXIBLE SPOUT
C-303	1/4" Pint (100cc)	4" (100mm)	5" (125mm)
C-305	1/2" Pint (125cc)	5" (125mm)	6" (150mm)

Rotatory Barrel Pump

Model J-201



Rotatory Barrel Pump (Ryton)

Model J-205



Approximate Weight 4 Lbs



Hydraulic Couplers 3 or 4 Jaws



JSP-6 : 3 Jaws JSP-7 : 4 Jaws

Extension Tubes



JSP-9 : Steel Extension Tube Available in 6" in

BSP Thread

JSP-10: Steel Extension Tube Available in 4" in

BSP Thread

Flexible Hose for Lever Grease Gun

Features

- Heavy Flexible Inner Tube is Polyamide Construction
- ➤ Inner Diameter 4.00mm
- > For Hand Operated Grease Gun Only
- Zinc Plated Steel Connections with Positive Crimping Excellent for Confined area
- ➤ Select Lengths Available in the Following Variations
- > Spring Guard Added Safety & Convenience in Fitment
- ➤ Working Pressure 4000 PSI



Also Available Length in 8" / 12" / 18" / 24"

Flexible Hose for Bucket Grease Pump

Model JSP-52



Spare Kit

Model JSP-15



Kit for Bucket Grease Pump

Bench Oiler & Funnels





LUBRICATING EQUIPMENTS



VISHWAKARMA IMPEX

Ludhiana-141003 (Punjab) INDIA E-mail : info@vishwakarmagroup.in Website : www.vishwakarmagroup.in

www.lubricatingequipments.com

Stoc	